

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No.: 7,718,129	)	
Inventors: Takayoshi MAMINE, et al.	)	Application No.: 10/559,745
Issue Date.: May 18, 2010	)	Confirmation No.: 5942
For: BIOASSAY SUBSTRATE AND BIOASSY DEVICE AND METHOD	)	

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION**

Sir:

Pursuant to 35 U.S.C. § 255 and 37 C.F.R. § 1.323, this is a request for the issuance of a Certificate of Correction in the above-identified patent. One (1) copy of PTO Form 1050 is appended. The complete Certificate of Correction involves one (1) page.


The mistake identified in the attached form is of a clerical or typographical nature, or of minor character, and resulted from an error made in good faith by applicants. Issuance of the Certificate of Correction containing the correction is earnestly requested.

Authorization is hereby given to charge the amount of \$100.00 (the fee set forth in 37 C.F.R. § 1.20(a)) and any additional requisite fees to Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

Dated: July 7, 2010

By:   
\_\_\_\_\_

David W. Hill  
Reg. No. 28,220

ERNEST F. CHAPMAN  
Reg. No. 25,961

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. 7,718,129  
DATED: May 18, 2010  
INVENTORS: Takayoshi MAMINE, et al.

It is hereby certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, Item (57), in the Abstract, line 13, "filed" should read --field--.

MAILING ADDRESS OF SENDER

Finnegan, Henderson, Farabow,  
Garrett & Dunner, L.L.P.  
901 New York Avenue, NW  
Washington, D.C. 20001-4413

Patent No. 7,718,129

No. of additional copies  
@ 50¢ per page

---